

MESSAGE NO: 3218111

MESSAGE DATE: 08/06/1993

MESSAGE STATUS: Active

CATEGORY: Antidumping

TYPE: FIN-Final Determination

PUBLIC ☒

NON-PUBLIC ☐

SUB-TYPE:

FR CITE: FR

FR CITE DATE:

REFERENCE
MESSAGE #
(s):

CASE #(s): A-580-814, A-580-815, A-580-816,
A-580-817

EFFECTIVE DATE:

COURT CASE #:

PERIOD OF REVIEW:

TO

PERIOD COVERED: 07/09/1993 TO

Notice of Lifting of Suspension Date:

TO: { Directors Of Field Operations, Port Directors }

FROM: { Director AD/CVD & Revenue Policy & Programs }

RE: AMENDMENT TO FINAL DETERMINATIONS OF ANTIDUMPING INVESTIGATIONS
ON CERTAIN STEEL FROM KOREA

MESSAGE NO: 3218111

DATE: 08 06 1993

CATEGORY: ADA

TYPE: FIN

REFERENCE:

REFERENCE DATE:

CASES: A - 580 - 814

A - 580 - 815

A - 580 - 816

A - 580 - 817

- -

- -

PERIOD COVERED: 07 09 1993 TO

LIQ SUSPENSION DATE:

TO: REGIONAL DIRECTORS, COMMERCIAL OPERATIONS
DISTRICT DIRECTORS, AREA AND PORT DIRECTORS

FROM: DIRECTOR, IMPORT SPECIALIST DIVISION

RE: AMENDMENT TO FINAL DETERMINATIONS OF ANTIDUMPING
INVESTIGATIONS ON CERTAIN STEEL FROM KOREA

1. ON JULY 9, 1993 THE DEPARTMENT OF COMMERCE (THE DEPARTMENT)
PUBLISHED THE NOTICE OF ITS FINAL DETERMINATIONS IN THE
ANTIDUMPING DUTY INVESTIGATIONS ON CERTAIN HOT-ROLLED CARBON
STEEL FLAT PRODUCTS (HOT-ROLLED STEEL), CERTAIN COLD-ROLLED
CARBON STEEL FLAT PRODUCTS (COLD-ROLLED STEEL), CERTAIN
CORROSION-RESISTANT CARBON STEEL FLAT PRODUCTS
(CORROSION-RESISTANT STEEL), AND CERTAIN CUT-TO-LENGTH CARBON
STEEL PLATE (CUT-TO-LENGTH PLATE) FROM KOREA.

2. ON AUGUST 2, 1993, THE DEPARTMENT PUBLISHED THE NOTICE OF ITS AMENDED FINAL DETERMINATIONS IN THE ANTIDUMPING INVESTIGATIONS ON HOT-ROLLED STEEL COLD-ROLLED STEEL, CORROSION-RESISTANT STEEL AND CUT-TO-LENGTH PLATE FROM KOREA.
3. THE FOUR PRODUCTS COVERED BY THESE INVESTIGATIONS ARE HOT-ROLLED STEEL, COLD-ROLLED STEEL, CORROSION-RESISTANT STEEL, AND CUT-TO-LENGTH STEEL PLATE.
4. HOT-ROLLED STEEL- THESE PRODUCTS INCLUDE CERTAIN HOT-ROLLED CARBON STEEL FLAT PRODUCTS, OF RECTANGULAR SHAPE, OF A WIDTH OF 0.5 INCH OR GREATER, NEITHER CLAD, PLATED NOR COATED WITH METAL, WHETHER OR NOT PAINTED, VARNISHED OR COATED WITH PLASTICS OR OTHER NONMETALLIC SUBSTANCES, IN COILS (WHETHER OR NOT IN SUCCESSIVELY SUPERIMPOSED LAYERS), OR IN STRAIGHT LENGTHS WHICH ARE LESS THAN 4.75 MILLIMETERS IN THICKNESS AND OF A WIDTH MEASURING AT LEAST 10 TIMES THE THICKNESS, AS CURRENTLY CLASSIFIABLE IN THE HTS UNDER ITEM NUMBERS 7208.11.0000, 7208.12.0000, 7208.13.1000, 7208.13.5000, 7208.14.1000, 7208.14.5000, 7208.21.1000, 7208.21.5000, 7208.22.1000, 7208.22.5000, 7208.23.1000, 7208.23.5030, 7208.23.5090, 7208.24.1000, 7208.24.5030, 7208.24.5090, 7208.34.1000, 7208.34.5000, 7208.35.1000, 7208.35.5000, 7208.44.0000, 7208.45.0000, 7208.90.0000, 7210.70.3000, 7210.90.9000, 7211.12.0000, 7211.19.1000, 7211.19.5000, 7211.22.0090, 7211.29.1000, 7211.29.3000, 7211.29.5000, 7211.29.7030, 7211.29.7060, 7211.29.7090, 7211.90.0000, 7212.40.1000, 7212.40.5000, 7212.50.0000, 7214.30.0000, 7214.40.0010, 7214.50.0010, 7214.60.0010, AND 7215.90.5000.

INCLUDED IN THIS INVESTIGATION ARE FLAT-ROLLED PRODUCTS OF NON RECTANGULAR CROSS-SECTION WHERE SUCH CROSS-SECTION IS ACHIEVED SUBSEQUENT TO THE ROLLING PROCESS (I.E., PRODUCTS WHICH HAVE BEEN "WORKED AFTER ROLLING") -- FOR EXAMPLE, PRODUCTS WHICH HAVE BEEN BEVELLED OR ROUNDED AT THE EDGES.

EXCLUDED FROM THIS INVESTIGATION ARE CERTAIN CARBON BAND SAW STEEL AND CERTAIN SEAT BELT RETRACTION SPRING STEEL, WHICH

ARE DEFINED RESPECTIVELY BY THE FOLLOWING SPECIFICATIONS:

CERTAIN CARBON BAND SAW STEEL

CHEMICAL COMPOSITION:

CARBON	1.21 PERCENT - 1.35 PERCENT
MANGANESE	0.15 PERCENT - 0.35 PERCENT
PHOSPHORUS	0.025 PERCENT MAXIMUM
SULPHUR	0.010 PERCENT MAXIMUM
SILICON	0.10 PERCENT - 0.25 PERCENT
ALUMINUM	0.015 PERCENT MAXIMUM
CHROMIUM	0.10 PERCENT - 0.30 PERCENT
COPPER	0.15 PERCENT MAXIMUM

MICROSTRUCTURE:

MUST BE FULLY SORBITIC WITH CARBIDE SIZE NUMBER 1 ABSOLUTE MAXIMUM.

WIDTH:

14 INCHES MAXIMUM

THICKNESS:

0.07 INCH - 0.125 INCH

CERTAIN SEAT BELT RETRACTION SPRING STEEL

CHEMICAL COMPOSITION:

CARBON	0.78 PERCENT - 0.83 PERCENT
MANGANESE	0.35 PERCENT - 0.50 PERCENT
PHOSPHORUS	0.020 PERCENT MAXIMUM
SULPHUR	0.008 PERCENT MAXIMUM
SILICON	0.10 PERCENT - 0.20 PERCENT

ALUMINUM 0.020 PERCENT - 0.060 PERCENT
CHROMIUM 0.05 PERCENT - 0.15 PERCENT
COPPER 0.12 PERCENT MAXIMUM

NON- METALLIC INCLUSION RATING:

- 1) IPSI 10,000 MAXIMUM
- 2) ASTM E45 A: 2 MAXIMUM
B AND C: 1 MAXIMUM
D: 1 MAXIMUM
- 3) DIN 50602 SS: MAXIMUM 3
OA: MAXIMUM 1
OS: MAXIMUM 1
OG: MAXIMUM 2

BANDING:

NUMBER 1 MAXIMUM

DECARBURIZATION:

COMPLETE
0.0005 INCH MAXIMUM
TOTAL
0.002 INCH MAXIMUM

WIDTH:

14 INCHES MAXIMUM

THICKNESS:

0.07 INCH - 0.125 INCH

5. COLD-ROLLED STEEL - THESE PRODUCTS INCLUDE COLD-ROLLED (COLD-REDUCED) CARBON STEEL FLAT-ROLLED PRODUCTS, OF RECTANGULAR SHAPE, NEITHER CLAD, PLATED NOR COATED WITH METAL, WHETHER OR NOT PAINTED, VARNISHED OR COATED WITH

PLASTICS OR OTHER NONMETALLIC SUBSTANCES, IN COILS (WHETHER OR NOT IN SUCCESSIVELY SUPERIMPOSED LAYERS) AND OF A WIDTH OF 0.5 INCH OR GREATER, OR IN STRAIGHT LENGTHS WHICH, IF OF A THICKNESS LESS THAN 4.75 MILLIMETERS, ARE OF A WIDTH OF 0.5 INCH OR GREATER AND WHICH MEASURES AT LEAST 10 TIMES THE THICKNESS OR IF OF A THICKNESS OF 4.75 MILLIMETERS OR MORE ARE OF A WIDTH WHICH EXCEEDS 150 MILLIMETERS AND MEASURES AT LEAST TWICE THE THICKNESS, AS CURRENTLY CLASSIFIABLE IN THE HTS UNDER ITEM NUMBERS

7209.11.0000, 7209.12.0030, 7209.12.0090, 7209.13.0030, 7209.13.0090, 7209.14.0030, 7209.14.0090, 7209.21.0000, 7209.22.0000, 7209.23.0000, 7209.24.1000, 7209.24.5000, 7209.31.0000, 7209.32.0000, 7209.33.0000, 7209.34.0000, 7209.41.0000, 7209.42.0000, 7209.43.0000, 7209.44.0000, 7209.90.0000, 7210.70.3000, 7210.90.9000, 7211.30.1030, 7211.30.1090, 7211.30.3000, 7211.30.5000, 7211.41.1000, 7211.41.3030, 7211.41.3090, 7211.41.5000, 7211.41.7030, 7211.41.7060, 7211.41.7090, 7211.49.1030, 7211.49.1090, 7211.49.3000, 7211.49.5030, 7211.49.5060, 7211.49.5090, 7211.90.0000, 7212.40.1000, 7212.40.5000, 7212.50.0000, 7217.11.1000, 7217.11.2000, 7217.11.3000, 7217.19.1000, 7217.19.5000, 7217.21.1000, 7217.29.1000, 7217.29.5000, 7217.31.1000, 7217.39.1000, AND 7217.39.5000.

INCLUDED IN THIS INVESTIGATION ARE FLAT-ROLLED PRODUCTS OF NONRECTANGULAR CROSS SECTION WHERE SUCH CROSS-SECTION IS ACHIEVED SUBSEQUENT TO THE ROLLING PROCESS (I.E., PRODUCTS WHICH HAVE BEEN "WORKED AFTER ROLLING") -- FOR EXAMPLE, PRODUCTS WHICH HAVE BEEN BEVELLED OR ROUNDED AT THE EDGES.

EXCLUDED FROM THIS INVESTIGATION IS CERTAIN SHADOW MASK STEEL, I.E., ALUMINUM-KILLED, COLD-ROLLED STEEL COIL THAT IS OPEN-COIL ANNEALED, HAS A CARBON CONTENT OF LESS THAN 0.002 PERCENT, IS OF 0.003 TO 0.012 INCH IN THICKNESS, 15 TO 30 INCHES IN WIDTH, AND HAS AN ULTRA FLAT, ISOTROPIC SURFACE.

6. CORROSION-RESISTANT STEEL - THESE PRODUCTS INCLUDE

FLAT-ROLLED CARBON STEEL PRODUCTS, OF RECTANGULAR SHAPE, EITHER CLAD, PLATED, OR COATED WITH CORROSION-RESISTANT METALS SUCH AS ZINC, ALUMINUM, OR ZINC-,ALUMINUM-, NICKEL- OR IRON-BASED ALLOYS, WHETHER OR NOT CORRUGATED OR PAINTED, VARNISHED OR COATED WITH PLASTICS OR OTHER NONMETALLIC SUBSTANCES IN ADDITION TO THE METALLIC COATING, IN COILS (WHETHER OR NOT IN SUCCESSIVELY SUPERIMPOSED LAYERS) AND OF WIDTH OF 0.5 INCH OR GREATER, OR IN STRAIGHT LENGTHS WHICH, IF OF A THICKNESS LESS THAN 4.75 MILLIMETERS, ARE OF A WIDTH OF 0.5 INCH OR GREATER AND WHICH MEASURES AT LEAST 10 TIMES THE THICKNESS OR IF OF A THICKNESS OF 4.75 MILLIMETERS, OR MORE ARE OF A WIDTH WHICH EXCEEDS 150 MILLIMETERS AND MEASURES AT LEAST TWICE THE THICKNESS, AS CURRENTLY CLASSIFIABLE IN THE HTS UNDER ITEM NUMBERS

7210.31.0000, 7210.39.0000, 7210.41.0000, 7210.49.0030, 7210.49.0090, 7210.60.0000, 7210.70.6030, 7210.70.6060, 7210.70.6090, 7210.90.1000, 7210.90.6000, 7210.90.9000, 7212.21.0000, 7212.29.0000, 7212.30.1030, 7212.30.1090, 7212.30.3000, 7212.30.5000, 7212.40.1000, 7212.40.5000, 7212.50.0000, 7212.60.0000, 7215.90.1000, 7215.90.5000, 7217.12.1000, 7217.13.1000, 7217.19.1000, 7217.19.5000, 7217.22.5000, 7217.23.5000, 7217.29.1000, 7217.29.5000, 7217.32.5000, 7217.33.5000, 7217.39.1000, AND 7217.39.5000.

INCLUDED IN THIS INVESTIGATION ARE FLAT-ROLLED PRODUCTS OF NON RECTANGULAR CROSS-SECTION WHERE SUCH CROSS-SECTION IS ACHIEVED SUBSEQUENT TO THE ROLLING PROCESS (I.E., PRODUCTS WHICH HAVE BEEN "WORKED AFTER ROLLING") -- FOR EXAMPLE, PRODUCTS WHICH HAVE BEEN BEVELLED OR ROUNDED AT THE EDGES.

EXCLUDED FROM THESE INVESTIGATIONS ARE FLAT-ROLLED STEEL PRODUCTS EITHER PLATED OR COATED WITH TIN, LEAD, CHROMIUM, CHROMIUM OXIDES, BOTH TIN AND LEAD ("TERNE PLATE"), OR BOTH CHROMIUM AND CHROMIUM OXIDES ("TIN - FREE STEEL"), WHETHER OR NOT PAINTED, VARNISHED OR COATED WITH PLASTICS OR OTHER NONMETALLIC SUBSTANCES IN ADDITION TO THE METALLIC COATING. ALSO EXCLUDED FROM THIS INVESTIGATION ARE CERTAIN CLAD STAINLESS FLAT-ROLLED PRODUCTS, WHICH ARE THREE-LAYERED

CORROSION-RESISTANT CARBON STEEL FLAT-ROLLED PRODUCTS LESS THAN 4.75 MILLIMETERS IN COMPOSITE THICKNESS THAT CONSIST OF A CARBON STEEL FLAT-ROLLED PRODUCT CLAD ON BOTH SIDES WITH STAINLESS STEEL IN A 20 PERCENT - 60 PERCENT - 20 PERCENT RATIO.

7. CUT-TO-LENGTH PLATE - THESE PRODUCTS INCLUDE HOT-ROLLED CARBON STEEL UNIVERSAL MILL PLATES (I.E., FLAT-ROLLED PRODUCTS ROLLED ON FOUR FACES OR IN A CLOSED BOX PASS, OF A WIDTH EXCEEDING 150 MILLIMETERS BUT NOT EXCEEDING 1,250 MILLIMETERS AND OF A THICKNESS OF NOT LESS THAN 4 MILLIMETERS, NOT IN COILS AND WITHOUT PATTERNS IN RELIEF), OF RECTANGULAR SHAPE, NEITHER CLAD, PLATED NOR COATED WITH METAL, WHETHER OR NOT PAINTED, VARNISHED, OR COATED WITH PLASTICS OR OTHER NONMETALLIC SUBSTANCES; AND CERTAIN HOT-ROLLED CARBON STEEL FLAT-ROLLED PRODUCTS IN STRAIGHT LENGTHS, OF RECTANGULAR SHAPE, HOT-ROLLED, NEITHER CLAD, PLATED, NOR COATED WITH METAL, WHETHER OR NOT PAINTED, VARNISHED, OR COATED WITH PLASTICS OF OTHER NONMETALLIC SUBSTANCES, 4.75 MILLIMETERS OR MORE IN THICKNESS AND OF A WIDTH WHICH EXCEEDS 150 MILLIMETERS AND MEASURES AT LEAST TWICE THE THICKNESS, AS CURRENTLY CLASSIFIABLE IN THE HTS UNDER ITEM NUMBERS

7208.31.0000, 7208.32.0000, 7208.33.1000, 7208.33.5000, 7208.41.0000, 7208.42.0000, 7208.43.0000, 7208.90.0000, 7210.70.3000, 7210.90.9000, 7211.11.0000, 7211.12.0000, 7211.21.0000, 7211.22.0045, 7211.90.0000, 7212.40.1000, 7212.40.5000, AND 7212.50.0000.

INCLUDED IN THIS INVESTIGATION ARE FLAT-ROLLED PRODUCTS OF NONRECTANGULAR CROSS SECTION WHERE SUCH CROSS SECTION IS ACHIEVED SUBSEQUENT TO THE ROLLING PROCESS (I.E., PRODUCTS WHICH HAVE BEEN "WORKED AFTER ROLLING") -- FOR EXAMPLE, PRODUCTS WHICH HAVE BEEN BEVELLED OR ROUNDED AT THE EDGES. EXCLUDED FROM THIS INVESTIGATION IS GRADE X-70 PLATE.

8. ALTHOUGH THE HTS SUBHEADINGS ARE PROVIDED FOR CONVENIENCE AND CUSTOMS PURPOSES, OUR WRITTEN DESCRIPTION OF THE SCOPE IN

THESE PROCEEDINGS IS DISPOSITIVE.

9. FOR FURTHER REPORTING PURPOSES, THESE CASES HAVE BEEN ASSIGNED THE FOLLOWING INVESTIGATION NUMBERS:

A-580-814 FOR HOT-ROLLED STEEL, A-580-815 FOR COLD-ROLLED STEEL, A-580-816 FOR CORROSION-RESISTANT STEEL, AND A-580-817 FOR CUT-TO-LENGTH STEEL PLATE.

10. THE DEPARTMENT HAS AMENDED ITS FINAL DETERMINATION OF CRITICAL CIRCUMSTANCES WITH RESPECT TO EXPORT OF HOT-ROLLED STEEL AND DETERMINED THAT CRITICAL CIRCUMSTANCES DO EXIST WITH RESPECT TO EXPORTS OF HOT-ROLLED STEEL FROM KOREA. THE DEPARTMENT, IN ITS FINAL DETERMINATION DETERMINED THAT CRITICAL CIRCUMSTANCES DO EXIST WITH RESPECT TO CUT-TO-LENGTH STEEL PLATE FROM KOREA.

11. FOR ALL EXPORTS OF CERTAIN HOT-ROLLED CARBON STEEL FLAT PRODUCTS AND CUT-TO-LENGTH CARBON STEEL PLATE FROM KOREA, THE CUSTOMS SERVICE SHALL SUSPEND LIQUIDATION OF SUCH PRODUCTS THAT ARE ENTERED OR WITHDRAWN FROM WAREHOUSE FOR CONSUMPTION

ON OR AFTER NOVEMBER 6, 1992.

FOR ALL EXPORTS OF COLD-ROLLED, AND CORROSION-RESISTANT STEEL FLAT PRODUCTS FROM KOREA, THE CUSTOMS SERVICE SHALL SUSPEND LIQUIDATION OF SUCH PRODUCTS THAT ARE ENTERED OR WITHDRAWN FROM WAREHOUSE FOR CONSUMPTION ON OR AFTER FEBRUARY 4, 1993. THE CUSTOMS SERVICE SHALL REQUIRE A CASH DEPOSIT OR BOND EQUAL TO THE MARGIN PERCENTAGES LISTED BELOW FOR ALL PRODUCTS.

FOR PERIODS BEFORE AUGUST 2, 1993, SUSPEND LIQUIDATION AT THE RATES SPECIFIED IN E-MAIL MESSAGES 3098111 FOR HOT-ROLLED, 3041116 FOR COLD-ROLLED, 3042113 FOR CORROSION-RESISTANT, AND 3041115 FOR CUT-TO-LENGTH PLATE. FOR PERIODS ON OR AFTER AUGUST 2, 1993, SUSPEND LIQUIDATION AT THE FOLLOWING RATES:

PRODUCT\MFR EXPORTER	CUSTOMS ID NO.	DEPOSIT RATE
-------------------------	-------------------	-----------------

HOT-ROLLED

POHANG IRON AND STEEL CO. LTD.	A-580-814-001	24.93 PERCENT
ALL OTHERS	A-580-814-000	24.93 PERCENT

COLD-ROLLED

POHANG IRON AND STEEL CO. LTD.	A-580-815-001	14.39 PERCENT
ALL OTHERS	A-580-815-000	14.39 PERCENT

CORROSION-RESISTANT

POHANG IRON AND STEEL CO. LTD.	A-580-816-001	17.60 PERCENT
ALL OTHERS	A-580-816-000	17.60 PERCENT

CUT-TO-LENGTHPLATE

DONGKUK STEEL MILL COMPANY, LTD.	A-580-817-002	8.86 PERCENT
ALL OTHERS	A-580-817-000	8.86 PERCENT

EXPORT SUBSIDIES OF 0.02 PERCENT FOR HOT-ROLLED STEEL AND CUT-TO-LENGTH PLATE, 0.05 PERCENT FOR COLD-ROLLED STEEL, AND 0.10 PERCENT FOR CORROSION-RESISTANT STEEL HAVE BEEN SUBTRACTED FROM THE MARGINS FOUND IN THE AMENDED FINAL DETERMINATIONS TO RESULT IN THE ABOVE RESPECTIVE MARGINS FOR CASH DEPOSIT OR BONDING PURPOSES.

12. IN GENERAL, THE DEPOSIT RATE REQUIRED ON EACH ENTRY WILL BE THAT ASSIGNED TO THE MANUFACTURER OF THE FLAT-ROLLED STEEL

PRODUCT. FOR THE ENTRY TO BE ACCEPTED, THE NAME OF THE MANUFACTURER MUST BE CLEARLY IDENTIFIED.

IN THE EVENT THAT THE EXPORTER IS A RESELLER, TRADING COMPANY, OR STEEL SERVICE CENTER, THE FOLLOWING INSTRUCTIONS SHOULD BE FOLLOWED:

- (A) IF THE RESELLER, ETC. SIMPLY RE-SELLS THE FLAT-ROLLED STEEL PRODUCT, A DEPOSIT EQUAL TO THE RATE ASSIGNED TO THE MANUFACTURER WILL BE REQUIRED.
- (B) IF THE RESELLER, ETC. DOES SOME FURTHER PROCESSING BUT DOES NOT TRANSFORM THE FLAT-ROLLED STEEL PRODUCT INTO A CLASS OR KIND OF MERCHANDISE DIFFERENT THAN THAT PURCHASED FROM THE MANUFACTURER, A DEPOSIT EQUAL TO THE "ALL OTHERS" RATE FOR THE CLASS OR KIND OF MERCHANDISE WILL BE REQUIRED. (E.G. IF A RESELLER PURCHASES A FOUR-FOOT WIDE COIL OF HOT-ROLLED STEEL AND SLITS IT INTO FOUR ONE-FOOT WIDE COILS OF HOT-ROLLED STEEL.)
- (C) IF THE RESELLER, ETC. DOES FURTHER PROCESSING AND CHANGES THE PRODUCT INTO A DIFFERENT CLASS OR KIND OF MERCHANDISE, A DEPOSIT EQUAL TO THE "ALL OTHERS" RATE FOR THE NEW CLASS OR KIND OF MERCHANDISE WILL BE REQUIRED. (E.G. IF A RESELLER GALVANIZED HOT-ROLLED COIL, THE "ALL OTHERS" RATE FOR CORROSION-RESISTANT STEEL WOULD APPLY.)

13. IF THERE ARE ANY QUESTIONS REGARDING THIS MATTER BY CUSTOMS OFFICERS, PLEASE CONTACT THE IMPORT SPECIALIST DIVISION, OTHER AGENCY BRANCH VIA E-MAIL TO ATTRIBUTE "HQ OAB". OTHER INTERESTED PARTIES SHOULD CONTACT G. LEON MCNEILL FOR HOT-ROLLED STEEL, EDWARD HALEY FOR COLD-ROLLED STEEL, KARIN PRICE FOR CORROSION-RESISTANT STEEL, AND BRECK RICHARDSON FOR CUT-TO-LENGTH STEEL PLATE, OFFICE OF ANTIDUMPING COMPLIANCE, IMPORT ADMINISTRATION, INTERNATIONAL

TRADE ADMINISTRATION, U.S. DEPARTMENT OF COMMERCE, AT
(202) 482-4733.

14. THERE ARE NO RESTRICTIONS ON THE RELEASE OF THIS
INFORMATION.

NANCY MCTIERNAN

Company Details

*Party Indicator Value:

I = Importer, M = Manufacturer, E = Exporter, S = Sold To Party